

OPEN ACCESS

The Journal of Threatened Taxa is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](#) unless otherwise mentioned. JoTT allows unrestricted use of articles in any medium, reproduction, and distribution by providing adequate credit to the authors and the source of publication.

Journal of Threatened Taxa

Building evidence for conservation globally

www.threatenedtaxa.org

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

MISCELLANEOUS

NATIONAL BIODIVERSITY AUTHORITY

26 May 2018



For Focus, Scope, Aims, Policies and Guidelines visit <http://threatenedtaxa.org/index.php/JoTT/about/editorialPolicies#custom-0>

For Article Submission Guidelines visit <http://threatenedtaxa.org/index.php/JoTT/about/submissions#onlineSubmissions>

For Policies against Scientific Misconduct visit <http://threatenedtaxa.org/index.php/JoTT/about/editorialPolicies#custom-2>

For reprints contact <info@threatenedtaxa.org>

Partners



Member



Publisher & Host



National Biodiversity Authority

www.nbaindia.org



Agro-biodiversity Hotspots of India

	Hotspot region	Areas covered
1.	Cold Desert	Western Himalayas covering Ladakh and Kargil. Upper reaches of Lahaul-Spiti districts of Himachal Pradesh.
2.	Western Himalayan	Districts of Srinagar, Anantnag, Udhampur, Riasi, Kathua in Jammu & Kashmir, all the districts of Himachal Pradesh except the cold arid region and all the districts of Uttarakhand.
3.	Eastern Himalayan	All the districts of Arunachal Pradesh, Sikkim and Darjeeling District of West Bengal.
4.	Brahmaputra Valley	Dhubri, Kokrajhar, Bongaigaon, Barpeta, Nalbari, Goalpara, Kamrup, Golaghat, Darrang, Morigaon, Nagaon, Sonitpur, Jorhat, Lakhimpur, Sibsagar, Dibrugarh, Dhemaji and Tinsukia.
5.	Khasia-Jaintia-Garo Hills	All the seven districts of Meghalaya, i.e., East Garo Hills, West Garo Hills, South Garo Hills, East Khasi Hills, West Khasi Hills, Jaintia Hills and Ri-Bhoi.
6.	North-eastern Hills	All the districts of Manipur, Mizoram, Nagaland, Tripura and the adjoining Cachar and North Cachar districts of Assam.
7.	Arid western	Sikar, Nagaur, Pali, Hanumangarh, Gangaragar, Jalore, Sirohi, Jodhpur, parts of Jaisalmer and Bikaner, Udaipur, Dungarpur, Churu, and Jhunjhunu districts of Rajasthan.
8.	Malwa Plateau and central Highlands	Malwa plateau, Central highlands, the Mewar plateau and semi-arid south-eastern Rajasthan. Shadel, Raisen, Bhopal, Sehore, Shajapur, Indore, Ujjain, Mandasaur, Rajgarh Hoshangabad, Narsinghpur, Jabalpur, Mandla, Umaria districts.
9.	Kathiawar	Ahemadabad, Surendranagar, Jamnagar, Rajkot, Porbandar, Junagadh, Amreli, Bhavnagar, Bharuch, Surat, Navsari, Valsad, Banaskantha and Anand districts of Gujarat.
10.	Bundelkhand	Districts of Jhansi, Banda, Chitrakoot, Hamirpur, Jalaun and Lalitpur in Uttar Pradesh and Damoh, Datia, Panna, Sagar, Tikamgarh and Chattarpur in Madhya Pradesh.
11.	Upper Gangetic Plains	Districts of Hardoi, Sitapur, Barabanki, Lucknow, Unnao, Rae Bareilly, Kanpur, Kannauj of Central Uttar Pradesh and the districts of Maharajganj, Sidharatnagar, Kushinagar, Deoria, Sant Kabir Nagar, Gorakhpur, Basti of north-eastern Uttar Pradesh.
12.	Lower Gangetic Plains	Districts of Paschim Champaran, Purbi Champaran, Gopalganj, Siwan, Sitamarhi, Muzaffarpur, Saran, Buxar, Bhojpur, Patna, Rohatas, Jahanabad, Vaishali, Samastipur, Darbhanga, Madhubani, Sheohar in North Bihar.
13.	Gangetic Delta	Broadly includes the deltaic 24-Parganas districts, and the districts of Hoogly, Howrah, Nadia, Bardhaman, Birbhum and Murshidabad.
14.	Chotanagpur	Districts of Singhbhum, Gumla, Ranchi, Lohardaga, Palamau and Hazaribagh and Santhal Pargana in Jharkhand and Mayurbhanj district in Orissa.
15.	Bastar	Districts of Bastar, Bilaspur, Durg, Jashpur, Kabirdham, Kanker, Kirba, Koria, Mahasamund, Kondaigaon, and Rajnangoan of Chattisgarh.
16.	Koraput	Districts of Malkangiri, Sonabeda, Jeypore, Koraput, Nabrangpur, Kalahandi, Bolangir, Rayagada of Orissa and districts of north eastern Andhra Pradesh, i.e., Srikrakulam, Vijanagaram and Vizagapatnam.
17.	Southern Eastern Ghats	Districts of Chittoor, Ananthapur, Cuddapah and Kurnoolin Andhra
18.	Kaveri	Districts of Chengalput, South Arcot, North Arcot, Thiuvannamalai, Tiruchirapalli, Pudukottai, Thiruarur, Vellore, Kanchipuram, Dharmapuri, Salem, Namakkal, Karur and Dindigal.
19.	Deccan	Districts of Jalna, Hingoli, Parbhani, Beed, Nanded, latur, Osmanabad, Solapur, Sangli, Gondia, Gadchiroli in Maharashtra, districts of Adilabad, Karimnagar, Warangal and Khamman in Andhra Pradesh and districts of Bidar and Gulbarga in Karnataka.
20.	Konkan	Coastal districts of Thane, Raigad, Ratnagiri, Sindhudurg and part of Sahyadri districts of Pune, Satara and Kolhapur of Maharashtra, all the districts of Goa and Uttara Kannada District of Karnataka.
21.	Malabar	Districts of Kasargod, Kannur, Wayanad, Kozikode, Malappuram, Palakkad, Thrissur, Idukki, Ernakulam, Alappuzha, Kollam, Kottayam, Pathanamthitta & Thiruvananthapuram in Kerala, Udhagamandalam (Nilgiri) and Kanyakumari districts of Tamil Nadu and districts of Dakshin Kannada, Kodagu and Udupi in Karnataka.
22.	Islands	Andaman and Nicobar Islands and Lakshadweep

Source : PPVFR, New Delhi



OPEN ACCESS



The Journal of Threatened Taxa is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](#) unless otherwise mentioned. JoTT allows unrestricted use of articles in any medium, reproduction, and distribution by providing adequate credit to the authors and the source of publication.

ISSN 0974-7907 (Online); ISSN 0974-7893 (Print)

May 2018 | Vol. 10 | No. 6 | Pages: 11703–11830

Date of Publication: 26 May 2018 (Online & Print)

DOI: 10.11609/jott.2018.10.6.11703-11830

www.threatenedtaxa.org

Communications

Home range and spatial organization by the Hoary Fox *Lycalopex vetulus* (Mammalia: Carnivora: Canidae): response to social disruption of two neighboring pairs

-- Julio C. Dalponte, Herson S. Lima, Stuart Klorfine & Nelton C. da Luz, Pp. 11703–11709

People's attitude towards wild elephants, forest conservation and Human-Elephant conflict in Nilambur, southern Western Ghats of Kerala, India

-- C.K. Rohini, T. Aravindan, K.S. Anoop Das & P.A. Vinayan, Pp. 11710–11716

Analysis of regurgitated pellets of Spotted Owlet *Athene brama* (Temminck, 1821) (Aves: Strigiformes: Strigidae) from Punjab, India

-- Renuka Malhotra & Neena Singla, Pp. 11717–11724

Species diversity and abundance of birds on Bharathiar University Campus, Tamil Nadu, India

-- L. Arul Pragasan & M. Madesh, Pp. 11725–11731

On the taxonomy of the first record of rare deep-water rough shark species of Oxyodontidae (Chondrichthyes: Squaliformes) in the western Indian Ocean

-- Sarah Viana & Mark W. Lisher, Pp. 11732–11742

Forest evergreeness and tree endemism in the central Western Ghats, southern India

-- Divakar K. Mesta & Ganesh R. Hegde, Pp. 11743–11752

Distribution of *Rhododendron falconeri* Hook. F. (Ericales: Ericaceae) in Yuksam-Dzongri trekking corridor of Khangchendzonga National Park, Sikkim, India

-- Aseesh Pandey & Hemant K. Badola, Pp. 11753–11759

Peer Commentary

The characteristics, representativeness, function and conservation importance of tropical dry evergreen forest on India's Coromandel Coast

-- Mark Everard, Pp. 11760–11769

Short Communications

Mugger Crocodile *Crocodylus palustris* Lesson, 1831 (Reptilia: Crocodylia: Crocodylidae) in river Saberi of Godavari system in southern Odisha, India: conservation implications

-- Subrat Debata, Swetashree Purohit, Anirban Mahata, Sudheer Kumar Jena & Sharat Kumar Palita, Pp. 11770–11774

A new record of the lesser-known butterfly Small Woodbrown *Lethe nicevillei* de Nicéville, 1887 (Lepidoptera: Nymphalidae: Satyrinae) from Khangchendzonga National Park, Sikkim, India

-- Sailendra Dewan, Bhoj Kumar Acharya & Sudeep Ghatani, Pp. 11775–11779

Partners



Early stages and larval host plants of some northeastern Indian butterflies

-- Tarun Karmakar, R. Nitin, Vivek Sarkar, Sarika Baidya, Subhajit Mazumder, V.K. Chandrasekharan, Rudraprasad Das, G.S. Girish Kumar, Swapnil Lokhande, Joyce Veino, Lightson Veino, Rakoveine Veino, Zeeshan Mirza, Rajesh V. Sanap, Bimal Sarkar & Krushnamegh Kunte, Pp. 11780–11799

Inventory of teloganodid mayflies (Ephemeroptera: Teloganodidae) from southern India with records of endemic taxa

-- C. Selvakumar, K.G. Sivaramakrishnan, T. Kubendran & Kailash Chandra, Pp. 11800–11805

Notes

Durga Das's Leaf-nosed Bat *Hipposideros durgadasi* Khajuria, 1970 (Mammalia: Chiroptera: Hipposideridae): a new distribution record in northern India hidden in the National Zoological Collections

-- M. Kamalakkannan, Tauseef Hamid Dar & C. Venkatraman, Pp. 11806–11811

A new range record of noctuid moth *Owadaglaea elongata* (Lepidoptera: Noctuidae: Xyleninae) from India

-- P.R. Shashank & Balázs Benedek, Pp. 11812–11814

Natural history of Large Cabbage White *Pieris brassicae nepalensis* Gray, 1846 (Lepidoptera: Pieridae) on *Nasturtium, Tropaeolum majus* (Tropaeolaceae) in Uttarakhand, India

-- Bhawana Kapkoti Negi & Ravindra K. Joshi, Pp. 11815–11817

An account of the occurrence of Wedge Sea Hare *Dolabella auricularia* (Lightfoot, 1786) (Gastropoda: Aplysiidae) from Andaman Islands, India

-- Vikas Pandey, Ganesh Thiruchitrambalam, M. Savurirajan, Raj Kiran Lakra, Jawed Equbal, Kunal Satyam, P. Shanmukha Sainath & Rokkarukala Samson, Pp. 11818–11821

New pteridophytic records from Mizoram, northeastern India

-- Sachin Sharma, Amit Kumar, Bhupendra Singh Kholia & Surendra Singh Bargali, Pp. 11822–11826

Clarke's Morning Glory *Ipomoea clarkei* Hook.f. (Convolvulaceae): addition to the flora of Eastern Ghats

-- L. Rasingam, J. Swamy & M. Sankara Rao, Pp. 11827–11829

Miscellaneous

National Biodiversity Authority

Member



Publisher & Host

